

CMS's Proposed Clinical Quality Measures for Eligible Professionals

The following table is available in CMS's proposed rule, available at <http://www.gpo.gov/fdsys/pkg/FR-2012-03-07/pdf/2012-4443.pdf>. CMS proposes to require EPs to submit a total of 12 measures from a menu of 125 measures.

Abbreviations

**PQRS = Physician Quality Reporting System

EHR PQRS = Physician Quality Reporting System's Electronic Health Record Reporting Option

CHIPRA = Children's Health Insurance Program Reauthorization Act

HEDIS = Healthcare Effectiveness Data and Information Set

ACA 2701 = Affordable Care Act section 2701

NCQA-PCMH = National Committee for Quality Assurance – Patient Centered Medical Home Group Reporting PQRS = Physician Quality Reporting System's Group Reporting Option

UDS = Uniform Data System (Health Resources Services

Administration) ACO = Accountable Care Organization

(Medicare Shared Savings Program)

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0001	Title: Asthma: Assessment of Asthma Control Description: Percentage of patients aged 5 through 50 years with a diagnosis of asthma who were evaluated at least once for asthma control (comprising asthma impairment and asthma risk).	American Medical Association-Physician Consortium for Performance Improvement (AMA-PCPI) Contact information: cpe@ama-assn.org	EHR PQRS		Clinical Process/Effectiveness
NQF 0002	Title: Appropriate Testing for Children with Pharyngitis Description: Percentage of children 2-18 years of age who were diagnosed with pharyngitis, dispensed an antibiotic and received a group A streptococcus (strep) test for the episode.	National Committee for Quality Assurance (NCQA) Contact information: www.ncqa.org	EHR PQRS, CHIPRA		Efficient Use of Healthcare Resources

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement Description: The percentage of adolescent and adult patients with a new episode of alcohol and other drug (AOD) dependence who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization within 14 days of the diagnosis and who initiated treatment and who had two or more additional services with an AOD diagnosis within 30 days of the initiation visit.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, HEDIS, State use, ACA 2701, NCQA-PCMH Accreditation		Clinical Process/ Effectiveness
NQF 0012	Title: Prenatal Care: Screening for Human Immunodeficiency Virus (HIV) Description: Percentage of patients, regardless of age, who gave birth during a 12-month period who were screened for HIV infection during the first or second prenatal care visit.	AMA-PCPI <u>Contact Information:</u> cpe@ama-assn.org	EHR PQRS		Population/ Public Health
NQF 0014	Title: Prenatal Care: Anti-D Immune Globulin Description: Percentage of D (Rh) negative, unsensitized patients, regardless of age, who gave birth during a 12-month period who received anti-D immune globulin at 26-30 weeks gestation.	AMA-PCPI <u>Contact Information:</u> cpe@ama-assn.org	EHR PQRS, NCQA-PCMH Accreditation		Patient Safety
NQF 0018	Title: Controlling High Blood Pressure Description: Percentage of patients 18-85 years of age who had a diagnosis of hypertension and whose blood pressure was adequately controlled during the measurement year.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, UDS		Clinical Process/ Effectiveness
NQF 0022	Title: Use of High-Risk Medications in the Elderly Description: Percentage of patients ages 65 years and older who received at least one high-risk medication. Percentage of patients 65 years of age and older who received at least two different high-risk medications.	NCQA Contact Information: www.ncqa.org	PQRS	New	Patient Safety
NQF 0024	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description: Percentage of patients 3-17 years of age who had an outpatient visit with a Primary Care Physician (PCP) or OB/GYN and who had evidence of body mass index (BMI) percentile documentation, counseling for nutrition and counseling for physical activity during the measurement year.	NCQA Contact information: www.ncqa.org	EHR PQRS, UDS		Population/ Public Health

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0028	Title: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention Description: Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user.	AMA-PCPI <u>Contact Information:</u> cpe@ama-assn.org	EHR PQRS, ACO, Group Reporting PQRS, UDS		Population/ Public Health
NQF 0031	Title: Breast Cancer Screening Description: Percentage of women 40-69 years of age who had a mammogram to screen for breast cancer.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, ACA 2701, HEDIS, State use, NCQA-PCMH Accreditation		Clinical Process/ Effectiveness
NQF 0032	Title: Cervical Cancer Screening Description: Percentage of women 21-64 years of age, who received one or more Pap tests to screen for cervical cancer.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, ACA 2701, HEDIS, State use, NCQA-PCMH Accreditation, UDS		Clinical Process/ Effectiveness
NQF 0033	Title: Chlamydia Screening in Women Description: Percentage of women 16-24 years of age who were identified as sexually active and who had at least one test for Chlamydia during the measurement year.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, CHIPRA, ACA 2701, HEDIS, State use, NCQA-PCMH Accreditation		Population/ Public Health
NQF 0034	Title: Colorectal Cancer Screening Description: Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, NCQA-PCMH Accreditation		Clinical Process/ Effectiveness
NQF 0036	Title: Use of Appropriate Medications for Asthma Description: Percentage of patients 5 - 50 years of age who were identified as having persistent asthma and were appropriately prescribed medication during the measurement year. Report three age stratifications (5-11 years, 12-50 years, and total).	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS		Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0038	Title: Childhood Immunization Status Description: Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV), one measles, mumps and rubella (MMR); two H influenza type B (HiB); three hepatitis B (Hep B); one chicken pox (VZV); four pneumococcal conjugate (PCV); two hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and nine separate combination rates.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, UDS		Population/ Public Health
NQF 0041	Title: Preventative Care and Screening: Influenza Immunization Description: Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization.	AMA-PCPI <u>Contact Information:</u> cpe@ama-assn.org	EHR PQRS, ACO, Group Reporting PQRS		Population/ Public Health
NQF 0043	Title: Pneumonia Vaccination Status for Older Adults Description: Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.	NCQA <u>Contact Information:</u> www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, NCQA-PCMH Accreditation		Clinical Process/ Effectiveness
NQF 0045	Title: Osteoporosis: Communication with the Physician Managing Ongoing Care Post-Fracture Description: Percentage of patients aged 50 years and older treated for a hip, spine, or distal radial fracture with documentation of communication with the physician managing the patient's on-going care that a fracture occurred and that the patient was or should be tested or treated for osteoporosis.	NCQA <u>Contact Information:</u> www.ncqa.org	PQRS, NCQA-PCMH Accreditation	New	Care Coordination
NQF 0046	Title: Osteoporosis: Screening or Therapy for Osteoporosis for Women Aged 65 Years and Older Description: Percentage of female patients aged 65 years and older who have a central dual-energy X-ray absorptiometry measurement ordered or performed at least once since age 60 or pharmacologic therapy prescribed within 12 months.	NCQA <u>Contact Information:</u> www.ncqa.org	PQRS, NCQA-PCMH Accreditation	New	Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0047	Title: Asthma Pharmacologic Therapy for Persistent Asthma Description: Percentage of patients aged 5 through 50 years with a diagnosis of persistent asthma and at least one medical encounter for asthma during the measurement year who were prescribed long-term control medication.	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS, UDS		Clinical Process/ Effectiveness
NQF 0048	Title: Osteoporosis: Management Following Fracture of Hip, Spine or Distal radius for Men and Women Aged 50 Years and Older Description: Percentage of patients aged 50 years or older with fracture of the hip, spine or distal radius that had a central dual-energy X-ray absorptiometry measurement ordered or performed or pharmacologic therapy prescribed.	NCQA Contact Information: www.ncqa.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0050	Title: Osteoarthritis (OA): Function and Pain Assessment Description: Percentage of patient visits for patients aged 21 years and older with a diagnosis of OA with assessment for function and pain.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient and Family Engagement
NQF 0051	Title: Osteoarthritis (OA): assessment for use of anti-inflammatory or analgesic over-the-counter (OTC) medications Description: Percentage of patient visits for patients aged 21 years and older with a diagnosis of OA with an assessment for use of anti-inflammatory or analgesic OTC medications.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0052	Title: Use of Imaging Studies for Low Back Pain Description: Percentage of patients with a primary diagnosis of low back pain who did not have an imaging study (plain x-ray, MRI, CT scan) within 28 days of diagnosis.	NCQA Contact Information: www.ncqa.org	EHR PQRS		Efficient Use of Healthcare Resources
NQF 0055	Title: Diabetes: Eye Exam Description: Percentage of patients 18-75 years of age with diabetes (type 1 or type 2) who had a retinal or dilated eye exam or a negative retinal exam (no evidence of retinopathy) by an eye care professional.	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0056	Title: Diabetes: Foot Exam Description: The percentage of patients aged 18 - 75 years with diabetes (type 1 or type 2) who had a foot exam (visual inspection, sensory exam with monofilament, or pulse exam).	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0058	Title: Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis Description: Percentage of adults ages 18 through 64 years with a diagnosis of acute bronchitis who were not dispensed an antibiotic prescription on or within 3 days of the initial date of service.	NCQA Contact Information: www.ncqa.org	PQRS	New	Efficient Use of Healthcare Resources
NQF 0059	Title: Diabetes: Hemoglobin A1c Poor Control Description: Percentage of patients 18 - 75 years of age with diabetes (type 1 or type 2) who had hemoglobin A1c > 9.0%.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, UDS		Clinical Process/ Effectiveness
NQF 0060	Title: Hemoglobin A1c Test for Pediatric Patients Description: Percentage of pediatric patients with diabetes with an HbA1c test in a 12-month measurement period.	NCQA Contact Information: www.ncqa.org		New	Clinical Process/ Effectiveness
NQF 0061	Title: Diabetes: Blood Pressure Management Description: Percentage of patients 18 - 75 years of age with diabetes (type 1 or type 2) who had blood pressure <140/90 mmHg.	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0062	Title: Diabetes: Urine Screening Description: Percentage of patients 18 - 75 years of age with diabetes (type 1 or type 2) who had a nephropathy screening test or evidence of nephropathy.	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0064	Title: Diabetes: Low Density Lipoprotein (LDL) Management and Control Description: Percentage of patients 18-75 years of age with diabetes (type 1 or type 2) who had LDL-C < 100 mg/dL.	NCQA Contact Information: www.ncqa.org	PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0066	Title: Coronary Artery Disease (CAD): Angiotensin-converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy—Diabetes or Left Ventricular Systolic Dysfunction (LVEF <40%) Description: Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12 month period who also have diabetes OR a current or prior Left Ventricular Ejection Fraction (LVEF) <40% who were prescribed ACE inhibitor or ARB therapy.	AMA-PCPI Contact Information: cpe@ama-assn.org	ACO, Group Reporting PQRS	New	Clinical Process/ Effectiveness
NQF 0067	Title: Coronary Artery Disease (CAD): Antiplatelet Therapy Description: Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12 month period who were prescribed aspirin or clopidogrel.	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0068	Title: Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic Description: Percentage of patients 18 years of age and older who were discharged alive for acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous transluminal coronary angioplasty (PTCA) from January 1-November 1 of the year prior to the measurement year, or who had a diagnosis of ischemic vascular disease (IVD) during the measurement year and the year prior to the measurement year and who had documentation of use of aspirin or another antithrombotic during the measurement year.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0069	Title: Appropriate Treatment for Children with Upper Respiratory Infection (URI) Description: Percentage of children who were given a diagnosis of URI and were not dispensed an antibiotic prescription on or three days after the episode date.	NCQA Contact Information: www.ncqa.org	PQRS, NCQA-PCMH Accreditation	New	Efficient Use of Healthcare Resources
NQF 0070	Title: Coronary Artery Disease (CAD): Beta-Blocker Therapy– Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF <40%) Description: Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12 month period who also have a prior MI or a current or prior LVEF <40% who were prescribed beta-blocker therapy.	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS, NCQA-PCMH Accreditation		Clinical Process/ Effectiveness
NQF 0073	Title: Ischemic Vascular Disease (IVD): Blood Pressure Management Description: Percentage of patients 18 years of age and older who were discharged alive for acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous transluminal coronary angioplasty (PTCA) from January 1- November 1 of the year prior to the measurement year, or who had a diagnosis of ischemic vascular disease (IVD) during the measurement year and the year prior to the measurement year and whose recent blood pressure is in control (<140/90 mmHg).	NCQA Contact Information: www.ncqa.org	EHR PQRS		Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0074	<p>Title: Coronary Artery Disease (CAD): Lipid Control</p> <p>Description: Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12 month period who have a LDL-C result <100mg/dL OR patients who have a LDL-C result ≥100mg/dL and have a documented plan of care to achieve LDL-C < 100mg/dL, including at a minimum the prescription of a statin.</p>	<p>AMA-PCPI <u>Contact Information:</u> cpe@ama-assn.org</p>	<p>PQRS, ACO, Group Reporting PQRS</p>		<p>Clinical Process/ Effectiveness</p>
NQF 0075	<p>Title: Ischemic Vascular Disease (IVD): Complete Lipid Panel and LDL Control</p> <p>Description: Percentage of patients 18 years of age and older who were discharged alive for acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous transluminal angioplasty (PTCA) from January 1-November 1 of the year prior to the measurement year, or who had a diagnosis of ischemic vascular disease (IVD) during the measurement year and the year prior to the measurement year and who had a complete lipid profile performed during the measurement year and whose LDL-C<100 mg/dL.</p>	<p>NCQA <u>Contact Information:</u> www.ncqa.org</p>	<p>EHR PQRS, ACO, Group Reporting PQRS</p>		<p>Clinical Process/ Effectiveness</p>
NQF 0081	<p>Title: Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD)</p> <p>Description: Percentage of patients aged 18 years and older with a diagnosis of heart failure (HF) with a current or prior left ventricular ejection fraction (LVEF) < 40% who were prescribed ACE inhibitor or ARB therapy either within a 12 month period when seen in the outpatient setting OR at each hospital discharge.</p>	<p>AMA-PCPI <u>Contact Information:</u> cpe@ama-assn.org</p>	<p>EHR PQRS, Group Reporting PQRS, NCQA-PCMH Accreditation</p>		<p>Clinical Process/ Effectiveness</p>
NQF 0083	<p>Title: Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)</p> <p>Description: Percentage of patients aged 18 years and older with a diagnosis of heart failure (HF) with a current or prior left ventricular ejection fraction (LVEF) < 40% who were prescribed beta-blocker therapy either within a 12 month period when seen in the outpatient setting OR at each hospital discharge.</p>	<p>AMA-PCPI <u>Contact Information:</u> cpe@ama-assn.org</p>	<p>EHR PQRS, ACO, Group Reporting PQRS</p>		<p>Clinical Process/ Effectiveness</p>

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0086	Title: Primary Open Angle Glaucoma (POAG): Optic Nerve Evaluation Description: Percentage of patients aged 18 years and older with a diagnosis of POAG who have an optic nerve head evaluation during one or more office visits within 12 months.	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0088	Title: Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy Description: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed which included documentation of the level of severity of retinopathy and the presence or absence of macular edema during one or more office visits within 12 months.	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0089	Title: Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care Description: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed with documented communication to the physician who manages the ongoing care of the patient with diabetes mellitus regarding the findings of the macular or fundus exam at least once within 12 months.	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0097	Title: Medication Reconciliation Description: Percentage of patients aged 65 years and older discharged from any inpatient facility (e.g. hospital, skilled nursing facility, or rehabilitation facility) and seen within 60 days following discharge in the office by the physician providing on-going care who had a reconciliation of the discharge medications with the current medication list in the medical record documented.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	ACO, Group Reporting PQRS, NCQA-PCMH Accreditation	New	Patient Safety
NQF 0098	Title: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Age 65 Years and Older Description: Percentage of female patients aged 65 years and older who were assessed for the presence or absence of urinary incontinence within 12 months.	NCQA Contact Information: www.ncqa.org	PQRS	New	Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0100	Title: Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older Description: Percentage of female patients aged 65 years and older with a diagnosis of urinary incontinence with a documented plan of care for urinary incontinence at least once within 12 months.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Patient and Family Engagement
NQF 0101	Title: Falls: Screening for Falls Risk Description: Percentage of patients aged 65 years and older who were screened for future fall risk (patients are considered at risk for future falls if they have had 2 or more falls in the past year or any fall with injury in the past year) at least once within 12 months.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS, ACO, Group Reporting PQRS	New	Patient Safety
NQF 0102	Title: Chronic Obstructive Pulmonary Disease (COPD): Bronchodilator Therapy Description: Percentage of patients aged 18 years and older with a diagnosis of COPD and who have FEV1/FVC less than 70% and have symptoms who were prescribed an inhaled bronchodilator.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS, Group Reporting PQRS	New	Clinical Process/ Effectiveness
NQF 0103	Title: Major Depressive Disorder (MDD): Diagnostic Evaluation Description: Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of MDD who met the DSM-IV criteria during the visit in which the new diagnosis or recurrent episode was identified during the measurement period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment Description: Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of MDD who had a suicide risk assessment completed at each visit during the measurement period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0105	Title: Anti-depressant Medication Management: (a) Effective Acute Phase Treatment, (b) Effective Continuation Phase Treatment Description: The percentage of patients 18 years of age and older who were diagnosed with a new episode of major depression, treated with antidepressant medication, and who remained on an antidepressant medication treatment.	NCQA Contact Information: www.ncqa.org	EHR PQRS, HEDIS, State use, ACA 2701		Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0106	Title: Diagnosis of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents Description: Percentage of patients newly diagnosed with ADHD whose medical record contains documentation of DSM-IV-TR or DSM-PC criteria.	Institute for Clinical Systems Improvement (ICSI) Contact Information: www.icsi.org		New	Care Coordination
NQF 0107	Title: Management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents Description: Percentage of patients treated with psychostimulant medication for the diagnosis of ADHD whose medical record contains documentation of a follow-up visit at least twice a year.	ICSI Contact Information: www.icsi.org		New	Clinical Process/ Effectiveness
NQF 0108	Title: ADHD: Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication Description: (a) Initiation Phase: Percentage of children 6 - 12 years of age as of the Index Prescription Episode Start Date with an ambulatory prescription dispensed for ADHD medication and who had one follow-up visit with a practitioner with prescribing authority during the 30-Day Initiation Phase. (b) Continuation and Maintenance (C&M) Phase: Percentage of children 6 - 12 years of age as of the Index Prescription Episode Start Date with an ambulatory prescription dispensed for ADHD medication who remained on the medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two additional follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended.	NCQA Contact Information: www.ncqa.org		New	Clinical Process/ Effectiveness
NQF 0110	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use Description: Percentage of patients with depression or bipolar disorder with evidence of an initial assessment that includes an appraisal for alcohol or chemical substance use.	Center for Quality Assessment and Improvement in Mental Health (CQAIMH) Contact Information: www.cqaimh.org ; cqaimh@cqaimh.org	NCQA-PCMH Accreditation	New	Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0112	Title: Bipolar Disorder: Monitoring change in level-of-functioning Description: Percentage of patients aged 18 years and older with an initial diagnosis or new episode/presentation of bipolar disorder.	CQAIMH Contact Information: www.cqaimh.org ; cqaimh@cqaimh.org		New	Clinical Process/ Effectiveness
NQF 0239	Title: Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (when indicated in ALL patients) Description: Percentage of patients aged 18 years and older undergoing procedures for which VTE prophylaxis is indicated in all patients, who had an order for Low Molecular Weight Heparin (LMWH), Low-Dose Unfractionated Heparin (LDUH), adjusted-dose warfarin, fondaparinux or mechanical prophylaxis to be given within 24 hours prior to incision time or within 24 hours after surgery end time.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient Safety
Formerly NQF 0246, no longer endorsed	Title: Stroke and Stroke Rehabilitation: Computed Tomography (CT) or Magnetic Resonance Imaging (MRI) Reports Description: Percentage of final reports for CT or MRI studies of the brain performed either: · In the hospital within 24 hours of arrival, OR · In an outpatient imaging center to confirm initial diagnosis of stroke, transient ischemic attack (TIA) or intracranial hemorrhage. For patients aged 18 years and older with either a diagnosis of ischemic stroke, TIA or intracranial hemorrhage OR at least one documented symptom consistent with ischemic stroke, TIA or intracranial hemorrhage that includes documentation of the presence or absence of each of the following: hemorrhage, mass lesion and acute infarction.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0271	Title: Perioperative Care: Discontinuation of Prophylactic Antibiotics (Non-Cardiac Procedures) Description: Percentage of non-cardiac surgical patients aged 18 years and older undergoing procedures with the indications for prophylactic parenteral antibiotics AND who received a prophylactic parenteral antibiotic, who have an order for discontinuation of prophylactic parenteral antibiotics within 24 hours of surgical end time.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS, NCQA-PCMH Accreditation	New	Patient Safety

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0312	Title: Lower Back Pain: Repeat Imaging Studies Description: Percentage of patients with back pain who received inappropriate imaging studies in the absence of red flags or progressive symptoms (overuse measure, lower performance is better).	NCQA Contact Information: www.ncqa.org		New	Efficient Use of Healthcare Resources
NQF 0321	Title: Adult Kidney Disease: Peritoneal Dialysis Adequacy: Solute Description: Percentage of patients aged 18 years and older with a diagnosis of ESRD receiving peritoneal dialysis who have a Kt/V \geq 1.7 per week measured once every 4 months.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Care Coordination
NQF 0322	Title: Back Pain: Initial Visit Description: The percentage of patients with a diagnosis of back pain who have medical record documentation of all of the following on the date of the initial visit to the physician: 1. Pain assessment 2. Functional status 3. Patient history, including notation of presence or absence of "red flags" 4. Assessment of prior treatment and response, and 5. Employment status	NCQA Contact Information: www.ncqa.org	PQRS	New	Efficient Use of Healthcare Resources
NQF 0323	Title: Adult Kidney Disease: Hemodialysis Adequacy: Solute Description: Percentage of calendar months within a 12-month period during which patients aged 18 years and older with a diagnosis of end-stage renal disease (ESRD) receiving hemodialysis three times a week have a spKt/V \geq 1.2.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Care Coordination
NQF 0382	Title: Oncology: Radiation Dose Limits to Normal Tissues Description: Percentage of patients, regardless of age, with a diagnosis of pancreatic or lung cancer receiving 3D conformal radiation therapy with documentation in medical record that radiation dose limits to normal tissues were established prior to the initiation of a course of 3D conformal radiation for a minimum of two tissues.	AMA-PCPI Contact Information: cpe@ama-assn.org ;	PQRS	New	Patient Safety
NQF 0383	Title: Oncology: Measure Pair: Oncology: Medical and Radiation - Plan of Care for Pain Description: Percentage of patient visits, regardless of patient age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy who report having pain with a documented plan of care to address pain.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient and Family Engagement

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0384	Title: Oncology: Measure Pair: Oncology: Medical and Radiation– Pain Intensity Quantified Description: Percentage of patient visits, regardless of patient age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy in which pain intensity is quantified.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient and Family Engagement
NQF 0385	Title: Colon Cancer: Chemotherapy for Stage III Colon Cancer Patients Description: Percentage of patients aged 18 years and older with Stage IIIA through IIIC colon cancer who are referred for adjuvant chemotherapy, prescribed adjuvant chemotherapy, or have previously received adjuvant chemotherapy within the 12-month reporting period.	AMA-PCPI Contact Information: cpe@ama-assn.org ; American Society of Clinical Oncology (ASCO): www.asco.org ; National Comprehensive Cancer Network (NCCN): www.nccn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0387	Title: Breast Cancer: Hormonal Therapy for Stage IC-IIIC Estrogen Receptor/Progesterone Receptor (ER/PR) Positive Breast Cancer Description: Percentage of female patients aged 18 years and older with Stage IC through IIIC, ER or PR positive breast cancer who were prescribed tamoxifen or aromatase inhibitor (AI) during the 12-month reporting period.	AMA-PCPI Contact Information: cpe@ama-assn.org ; ASCO: www.asco.org ; NCCN: www.nccn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0388	Title: Prostate Cancer: Three Dimensional (3D) Radiotherapy Description: Percentage of patients, regardless of age, with a diagnosis of clinically localized prostate cancer receiving external beam radiotherapy as a primary therapy to the prostate with or without nodal irradiation (no metastases; no salvage therapy) who receive three-dimensional conformal radiotherapy (3D-CRT) or intensity modulated radiation therapy (IMRT).	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient Safety

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0389	Title: Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients Description: Percentage of patients, regardless of age, with a diagnosis of prostate cancer at low risk of recurrence receiving interstitial prostate brachytherapy, OR external beam radiotherapy to the prostate, OR radical prostatectomy, OR cryotherapy who did <u>not</u> have a bone scan performed at any time since diagnosis of prostate cancer.	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Efficient Use of Healthcare Resources
NQF 0399	Title: Hepatitis C: Hepatitis A Vaccination in Patients with HCV Description: Percentage of patients aged 18 years and older with a diagnosis of hepatitis C who have received at least one injection of hepatitis A vaccine, or who have documented immunity to hepatitis A.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS, NCQA-PCMH Accreditation	New	Population/Public Health
NQF 0400	Title: Hepatitis C: Hepatitis B Vaccination in Patients with HCV Description: Percentage of patients aged 18 years and older with a diagnosis of hepatitis C who have received at least one injection of hepatitis B vaccine, or who have documented immunity to hepatitis B.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS, NCQA-PCMH Accreditation	New	Population/Public Health
NQF 0401	Title: Hepatitis C: Counseling Regarding Risk of Alcohol Consumption Description: Percentage of patients aged 18 years and older with a diagnosis of hepatitis C who were counseled about the risks of alcohol use at least once within 12 months.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS, NCQA-PCMH Accreditation	New	Clinical Process/Effectiveness
NQF 0403	Title: Medical Visits Description: Percentage of patients regardless of age, with a diagnosis of HIV/AIDS with at least one medical visit in each 6 month period with a minimum of 60 days between each visit.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org		New	Clinical Process/Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0405	<p>Title: Pneumocystitis jiroveci pneumonia (PCP) Prophylaxis</p> <p>Description: Percentage of patients with HIV/AIDS who were prescribed Pneumocystis jiroveci pneumonia (PCP) prophylaxis.</p>	<p>AMA-PCPI Contact Information: cpe@ama-assn.org; NCQA Contact Information: www.ncqa.org</p>	PQRS, NCQA-PCMH Accreditation	New	Clinical Process/ Effectiveness
NQF 0406	<p>Title: Patients with HIV/AIDS Who Are Prescribed Potent Antiretroviral Therapy</p> <p>Description: Percentage of patients who were prescribed potent antiretroviral therapy.</p>	<p>AMA-PCPI Contact Information: cpe@ama-assn.org; NCQA Contact Information: www.ncqa.org</p>	PQRS, NCQA-PCMH Accreditation	New	Clinical Process/ Effectiveness
NQF 0407	<p>Title: HIV RNA control after six months of potent antiretroviral therapy</p> <p>Description: Percentage of patients aged 13 years and older with a diagnosis of HIV/AIDS who had at least two medical visits during the measurement year, with at least 60 days between each visit, who are receiving potent antiretroviral therapy, who have a viral load below limits of quantification after at least 6 months of potent antiretroviral therapy OR whose viral load is not below limits of quantification after at least 6 months of potent antiretroviral therapy and has a documented plan of care.</p>	<p>NCQA Contact Information: www.ncqa.org</p>	PQRS	New	Clinical Process/ Effectiveness
NQF 0418	<p>Title: Screening for Clinical Depression</p> <p>Description: Percentage of patients aged 12 years and older screened for clinical depression using an age appropriate standardized tool and follow up plan documented.</p>	<p>Centers for Medicare and Medicaid Services (CMS) 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; Quality Insights of Pennsylvania (QIP) Contact Information: www.usqualitymeasures.org</p>	EHR PQRS, ACO	New	Population/ Public Health

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0419	<p>Title: Documentation of Current Medications in the Medical Record</p> <p>Description: Percentage of specified visits as defined by the denominator criteria for which the eligible professional attests to documenting a list of current medications to the best of his/her knowledge and ability. This list must include ALL prescriptions, over-the-counters, herbals, vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route.</p>	<p>Centers for Medicare and Medicaid Services (CMS) 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; QIP Contact Information: www.usqualitymeasures.org</p>	<p>PQRS, EHR PQRS, Group Reporting PQRS</p>	<p>New</p>	<p>Patient Safety</p>
NQF 0421	<p>Title: Adult Weight Screening and Follow-Up</p> <p>Description: Percentage of patients aged 18 years and older with a calculated body mass index (BMI) in the past six months or during the current visit documented in the medical record AND if the most recent BMI is <u>outside</u> of normal parameters, a follow-up plan is documented.</p> <p>Normal Parameters: Age 65 years and older BMI ≥ 23 and < 30</p> <p>Age 18-64 years BMI ≥ 18/5 and < 25</p>	<p>Centers for Medicare and Medicaid Services (CMS) 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; QIP Contact Information: www.usqualitymeasures.org AMA-PCPI</p>	<p>EHR PQRS, ACO, Group Reporting PQRS, UDS</p>		<p>Population/ Public Health</p>
NQF 0507	<p>Title: Radiology: Stenosis Measurement in Carotid Imaging Studies</p> <p>Description: Percentage of final reports for all patients, regardless of age, for carotid imaging studies (neck magnetic resonance angiography [MRA], neck computer tomography angiography [CTA], neck duplex ultrasound, carotid angiogram) performed that include direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement.</p>	<p>Contact Information: cpe@ama-assn.org</p> <p>AMA-PCPI</p>	<p>PQRS</p>	<p>New</p>	<p>Clinical Process/ Effectiveness</p>
NQF 0508	<p>Title: Radiology: Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening</p> <p>Description: Percentage of final reports for screening mammograms that are classified as "probably benign."</p>	<p>Contact Information: cpe@ama-assn.org</p>	<p>PQRS</p>	<p>New</p>	<p>Efficient Use of Healthcare Resources</p>

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0510	Title: Radiology: Exposure Time Reported for Procedures Using Fluoroscopy Description: Percentage of final reports for procedures using fluoroscopy that include documentation of radiation exposure or exposure time.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient Safety
NQF 0513	Title: Thorax CT: Use of Contrast Material Description: This measure calculates the percentage of thorax studies that are performed with and without contrast out of all thorax studies performed (those with contrast, those without contrast, and those with both).	CMS Contact Information: 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Efficient Use of Healthcare Resources
NQF 0519	Title: Diabetic Foot Care and Patient/Caregiver Education Implemented During Short Term Episodes of Care Description: Percentage of short term home health episodes of care during which diabetic foot care and education were included in the physician-ordered plan of care and implemented for patients with diabetes.	CMS Contact Information: 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Care Coordination
NQF 0561	Title: Melanoma: Coordination of Care Description: Percentage of patient visits, regardless of patient age, with a new occurrence of melanoma who have a treatment plan documented in the chart that was communicated to the physician(s) providing continuing care within one month of diagnosis.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Care Coordination
NQF 0562	Title: Melanoma: Overutilization of Imaging Studies in Melanoma Description: Percentage of patients, regardless of age, with a current diagnosis of stage 0 through IIC melanoma or a history of melanoma of any stage, without signs or symptoms suggesting systemic spread, seen for an office visit during the one-year measurement period, for whom no diagnostic imaging studies were ordered.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Efficient Use of Healthcare Resources

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0564	Title: Cataracts: Complications within 30 Days Following Cataract Surgery Requiring Additional Surgical Procedures Description: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and had any of a specified list of surgical procedures in the 30 days following cataract surgery which would indicate the occurrence of any of the following major complications: retained nuclear fragments, endophthalmitis, dislocated or wrong power IOL, retinal detachment, or wound dehiscence.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Patient Safety
NQF 0565	Title: Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery Description: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and no significant ocular conditions impacting the visual outcome of surgery and had best-corrected visual acuity of 20/40 or better (distance or near) achieved within 90 days following the cataract surgery.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0575	Title: Diabetes: Hemoglobin A1c Control (<8.0%) Description: The percentage of patients 18-75 years of age with diabetes (type 1 or type 2) who had hemoglobin A1c <8.0%.	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS, UDS		Clinical Process/ Effectiveness
NQF 0608	Title: Pregnant women that had HBsAg testing Description: This measure identifies pregnant women who had a HBsAg (hepatitis B) test during their pregnancy.	Ingenix Contact Information: www.ingenix.com Minnesota		New	Clinical Process/ Effectiveness
NQF 0710	Title: Depression Remission at Twelve Months Description: Adult patients age 18 and older with major depression or dysthymia and an initial PHQ-9 score > 9 who demonstrate remission at twelve months defined as PHQ-9 score less than 5. This measure applies to both patients with newly diagnosed and existing depression whose current PHQ-9 score indicates a need for treatment.	Community Measurement (MNCM) Contact Information: www.mncm.org ; info@mncm.org		New	Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 0711	Title: Depression Remission at Six Months Description: Adult patients age 18 and older with major depression or dysthymia and an initial PHQ-9 score > 9 who demonstrate remission at six months defined as PHQ-9 score less than 5. This measure applies to both patients with newly diagnosed and existing depression whose current PHQ-9 score indicates a need for treatment.	MNCM Contact Information: www.mncm.org ; info@mncm.org MNCM Contact		New	Clinical Process/ Effectiveness
NQF 0712	Title: Depression Utilization of the PHQ-9 Tool Description: Adult patients age 18 and older with the diagnosis of major depression or dysthymia who have a PHQ-9 tool administered at least once during a 4 month period in which there was a qualifying visit.	Information: www.mncm.org ; info@mncm.org Maternal and Child Health		New	Clinical Process/ Effectiveness
NQF 1335	Title: Children who have dental decay or cavities Description: Assesses if children aged 1-17 years have had tooth decay or cavities in the past 6 months.	Bureau, Health Resources and Services Administration http://mchb.hrsa.gov/ AMA-PCPI Contact		New	Clinical Process/ Effectiveness
NQF 1365	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment Description: Percentage of patient visits for those patients aged 6 through 17 years with a diagnosis of major depressive disorder with an assessment for suicide risk.	Information: cpe@ama-assn.org NCQA Contact		New	Patient Safety
NQF 1401	Title: Maternal depression screening Description: The percentage of children who turned 6 months of age during the measurement year who had documentation of a maternal depression screening for the mother.	Information: www.ncqa.org University of Minnesota		New	Population/ Public Health
NQF 1419	Title: Primary Caries Prevention Intervention as Part of Well/III Child Care as Offered by Primary Care Medical Providers Description: The measure will a) track the extent to which the PCMP or clinic (determined by the provider number used for billing) applies FV as part of the EPSDT examination and b) track the degree to which each billing entity's use of the EPSDT with FV codes increases from year to year (more children varnished and more children receiving FV four times a year according to ADA recommendations for high-risk children).	Contact Information: www.umn.edu		New	Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
NQF 1525	Title: Atrial Fibrillation and Atrial Flutter: Chronic Anticoagulation Therapy Description: Percentage of patients aged 18 years and older with nonvalvular AF or atrial flutter at high risk for thromboembolism, according to CHADS2 risk stratification, who were prescribed warfarin or another oral anticoagulant drug that is FDA approved for the prevention of thromboembolism during the 12-month reporting period.	AMA-PCPI Contact Information: cpe@ama-assn.org ; American College of Cardiology Foundation (ACCF) www.cardiosource.org ; American Heart Association (AHA) www.heart.org		New	Clinical Process/ Effectiveness
TBD	Title: Preventive Care and Screening: Cholesterol – Fasting Low Density Lipoprotein (LDL) Test Performed AND Risk-Stratified Fasting LDL Description: Percentage of patients aged 20 through 79 years whose risk factors* have been assessed and a fasting LDL test has been performed. Percentage of patients aged 20 through 79 years who had a fasting LDL test performed and whose risk-stratified* fasting LDL is at or below the recommended LDL goal.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21.26.1139 ; QIP Contact Information: www.usqualitymeasures.org	EHR PQRS	New	Clinical Process/ Effectiveness
TBD		AMA-PCPI	PQRS	New	Patient Safety
	Title: Falls: Risk Assessment for Falls Description: Percentage of patients aged 65 years and older with a history of falls who had a risk assessment for falls completed within 12 months.	Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org AMA-PCPI	PQRS	New	Patient Safety
TBD	Title: Falls: Plan of Care for Falls Description: Percentage of patients aged 65 years and older with a history of falls who had a plan of care for falls documented within 12 months.	Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org			

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
TBD	Title: Adult Kidney Disease: Blood Pressure Management Description: Percentage of patient visits for those patients aged 18 years and older with a diagnosis of CKD (stage 3, 4, or 5 not receiving RRT) and proteinuria with a blood pressure < 130/80 mmHg or ≥130/80 mmHg with documented plan of care.	AMA-PCPI Contact Information: cpe@ama-assn.org		New	Clinical Process/ Effectiveness
TBD	Title: Adult Kidney Disease: Patients on Erythropoiesis Stimulating Agent (ESA) - Hemoglobin Level > 12.0 g/dL Description: Percentage of calendar months within a 12-month period during which a hemoglobin (Hgb) level is measured for patients aged 18 years and older with a diagnosis of advanced CKD (stage 4 or 5, not receiving RRT) or end-stage renal disease (ESRD) (who are on hemodialysis or peritoneal dialysis) who are also receiving ESA therapy have a hemoglobin (Hgb) level > 12.0 g/dL.	AMA-PCPI Contact Information: cpe@ama-assn.org		New	Efficient Use of Healthcare Resources
TBD	Title: Chronic Wound Care: Use of wet to dry dressings in patients with chronic skin ulcers (overuse measure) Description: Percentage of patient visits for those patients aged 18 years and older with a diagnosis of chronic skin ulcer <u>without</u> a prescription or recommendation to use wet to dry dressings.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Patient Safety
TBD	Title: Dementia: Staging of Dementia Description: Percentage of patients, regardless of age, with a diagnosis of dementia whose severity of dementia was classified as mild, moderate, or severe at least once within a 12 month period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Clinical Process/ Effectiveness
TBD	Title: Dementia: Cognitive Assessment Description: Percentage of patients, regardless of age, with a diagnosis of dementia for whom an assessment of cognition is performed and the results reviewed at least once within a 12 month period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Clinical Process/ Effectiveness
TBD	Title: Dementia: Functional Status Assessment Description: Percentage of patients, regardless of age, with a diagnosis of dementia for whom an assessment of functional status is performed and the results reviewed at least once within a 12 month period.	AMA-PCPI Contact Information: cpe@ama-assn.org ;	PQRS	New	Patient and Family Engagement

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
TBD	Title: Dementia: Counseling Regarding Safety Concerns Description: Percentage of patients, regardless of age, with a diagnosis of dementia or their caregiver(s) who were counseled or referred for counseling regarding safety concerns within a 12 month period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient and Family Engagement
TBD	Title: Dementia: Counseling Regarding Risks of Driving Description: Percentage of patients, regardless of age, with a diagnosis of dementia or their caregiver(s) who were counseled regarding the risks of driving and the alternatives to driving at least once within a 12 month period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient Safety
TBD	Title: Dementia: Caregiver Education and Support Description: Percentage of patients, regardless of age, with a diagnosis of dementia whose caregiver(s) were provided with education on dementia disease management and health behavior changes AND referred to additional resources for support within a 12-month period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient and Family Engagement
TBD	Title: Chronic Wound Care: Patient education regarding long term compression therapy Description: Percentage of patients aged 18 years and older with a diagnosis of venous ulcer who received education regarding the need for long term compression therapy including interval replacement of compression stockings within the 12 month reporting period.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org		New	Patient and Family Engagement
TBD	Title: Rheumatoid Arthritis (RA): Functional Status Assessment Description: Percentage of patients aged 18 years and older with a diagnosis of RA for whom a functional status assessment was performed at least once within 12 months.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org	PQRS	New	Patient and Family Engagement
TBD	Title: Glaucoma Screening in Older Adults Description: Percentage of patients 65 years and older, without a prior diagnosis of glaucoma or glaucoma suspect, who received a glaucoma eye exam by an eye-care professional for early identification of glaucomatous conditions.	NCQA Contact Information: www.ncqa.org		New	Clinical Process/ Effectiveness

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
TBD	Title: Chronic Wound Care: Patient Education regarding diabetic foot care. Description: Percentage of patients aged 18 years and older with a diagnosis of diabetes and foot ulcer who received education regarding appropriate foot care AND daily inspection of the feet within the 12 month reporting period.	AMA-PCPI Contact Information: cpe@ama-assn.org ; NCQA Contact Information: www.ncqa.org		New	Patient and Family Engagement
TBD	Title: Hypertension: Improvement in blood pressure Description: Percentage of patients aged 18 years and older with hypertension whose blood pressure improved during the measurement period.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Clinical Process/ Effectiveness
TBD	Title: Closing the referral loop: receipt of specialist report Description: Percentage of patients regardless of age with a referral from a primary care provider for whom a report from the provider to whom the patient was referred was received by the referring provider.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Care Coordination
TBD	Title: Functional status assessment for knee replacement Description: Percentage of patients aged 18 years and older with primary total knee arthroplasty (TKA) who completed baseline and follow-up (patient-reported) functional status assessments.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient and Family Engagement
TBD	Title: Functional status assessment for hip replacement Description: Percentage of patients aged 18 years and older with primary total hip arthroplasty (THA) who completed baseline and follow-up (patient-reported) functional status assessments.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient and Family Engagement
TBD	Title: Functional status assessment for complex chronic conditions Description: Percentage of patients aged 65 years and older with heart failure and two or more high impact conditions who completed initial and follow-up (patient-reported) functional status assessments.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient and Family Engagement

Measure Number	Clinical Quality Measure Title & Description	Clinical Quality Measure Steward & Contact Information	Other Quality Measure Programs that use the Same Measure**	New Measure	Domain
TBD	Title: Adverse Drug Event (ADE) Prevention: Outpatient therapeutic drug monitoring Description: Percentage of patients 18 years of age and older receiving outpatient chronic medication therapy who had the appropriate therapeutic drug monitoring during the measurement year.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient Safety
TBD	Title: Preventive Care and Screening: Screening for High Blood Pressure Description: Percentage of patients aged 18 years and older who are screened for high blood pressure.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139 ; QIP Contact Information: www.usqualitymeasures.org	PQRS, Group Reporting PQRS, ACO	New	Population/ Public Health
TBD	Title: Hypertension: Blood Pressure Management Description: Percentage of patients aged 18 years and older with a diagnosis of hypertension seen within a 12 month period with a blood pressure <140/90mmHg OR patients with a blood pressure ≥140/90mmHg and prescribed 2 or more anti-hypertensive medications during the most recent office visit.	AMA-PCPI Contact Information: cpe@ama-assn.org		New	Clinical Process/ Effectiveness