CQMs FINALIZED FOR MEDICARE AND MEDICAID EPs BEGINNING WITH CY 2014

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0002 **	Title: Appropriate Testing for Children with Pharyngitis Description: Percentage of children 2-18 years of age who were diagnosed with pharyngitis, ordered an antibiotic and received a group A streptococcus (strep) test for the episode.	National Committee for Quality Assurance (NCQA) Contact information: www.ncqa.org	EHR PQRS, CHIPRA		Efficient Use of Healthcare Resources
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment Description: Percentage of patients 13 years of age and older with a new episode of alcohol and other drug (AOD) dependence who received the following. Two rates are reported. a. Percentage of patients who initiated treatment within 14 days of the diagnosis. b. Percentage of patients who initiated treatment and who had two or more additional services with an AOD diagnosis within 30 days of the initiation visit.	NCQA Contact Information: www.ncqa.org	EHR PQRS, HEDIS, state use, ACA 2701, NCQA-PCMH Recognition		Clinical Process/ Effectiveness
NQF 0018 *	Title: Controlling High Blood Pressure Description: Percentage of patients 18-85 years of age who had a diagnosis of hypertension and whose blood pressure was adequately controlled (<140/90mmHg) during the measurement =period.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, UDS		Clinical Process/ Effectiveness
NQF 0022 *	Title: Use of High-Risk Medications in the Elderly Description: Percentage of patients 66 years of age and older who were ordered high-risk medications. Two rates are reported. a. Percentage of patients who were ordered at least one high-risk medication. b. Percentage of patients who were ordered at least two different high-risk medications.	NCQA Contact Information: www.ncqa.org	PQRS	New	Patient Safety

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0024 **	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description: Percentage of patients 3-17 years of age who had an outpatient visit with a Primary Care Physician (PCP) or Obstetrician/Gynecologist (OB/GYN) and who had evidence of the following during the measurement period. Three rates are reported. • Percentage of patients with height, weight, and body mass index (BMI) percentile documentation • Percentage of patients with counseling for nutrition • Percentage of patients with counseling for physical activity	NCQA Contact information: www.ncqa.org	EHR PQRS, UDS		Population/ Public Health
NQF 0028 *	Title: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention Description: Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS, ACO, Group Reporting PQRS, UDS		Population/ Public Health
NQF 0031	Title: Breast Cancer Screening Description: Percentage of women 40-69 years of age who had a mammogram to screen for breast cancer.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, ACA 2701, HEDIS, state use, NCQA-PCMH Recognition		Clinical Process/ Effectiveness
NQF 0032	Title: Cervical Cancer Screening Description: Percentage of women 21-64 years of age, who received one or more Pap tests to screen for cervical cancer.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACA 2701, HEDIS, state use, NCQA-PCMH Recognition, UDS		Clinical Process/ Effectiveness
NQF 0033 **	Title: Chlamydia Screening for Women Description: Percentage of women 16-24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement period.	NCQA Contact Information: www.ncqa.org	EHR PQRS, CHIPRA, ACA 2701, HEDIS, state use, NCQA-PCMH Recognition		Population/ Public Health

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0034	Title: Colorectal Cancer Screening Description: Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, NCQA-PCMH Recognition		Clinical Process/ Effectiveness
NQF 0036 **	Title: Use of Appropriate Medications for Asthma Description: Percentage of patients 5-64 years of age who were identified as having persistent asthma and were appropriately prescribed medication during the measurement period.	NCQA Contact Information: www.ncqa.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0038 **	Title: Childhood Immunization Status Description: Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV), one measles, mumps and rubella (MMR); three H influenza type B (HiB); three hepatitis B (Hep B); one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.	NCQA Contact Information: www.ncqa.org	EHR PQRS, UDS		Population/ Public Health
NQF 0041	Title: Preventative Care and Screening: Influenza Immunization Description: Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization	AMA-PCPI Contact Information: cpe@ama-assn.o	EHR PQRS, ACO, Group Reporting		Population/ Public Health
NQF 0043	Title: Pneumonia Vaccination Status for Older Adults Description: Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, NCQA-PCMH Recognition		Clinical Process/ Effectiveness
NQF 0052 *	Title: Use of Imaging Studies for Low Back Pain Description: Percentage of patients 18-50 years of age with a diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis.	NCQA Contact Information: www.ncqa.org	EHR PQRS		Efficient Use of Healthcare Resources
NQF 0055	Title: Diabetes: Eye Exam Description: Percentage of patients 18-75 years of age with diabetes who had a retinal or dilated eye exam by an eye care professional during the measurement period or a negative retinal exam (no evidence of retinopathy) in the 12 months prior to the measurement period	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0056	Title: Diabetes: Foot Exam Description: Percentage of patients aged 18-75 years of age with diabetes who had a foot exam during the measurement period.	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0059	Title: Diabetes: Hemoglobin A1c Poor Control Description: Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c > 9.0% during the measurement period.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS, UDS		Clinical Process/ Effectiveness
NQF 0060	Title: Hemoglobin A1c Test for Pediatric Patients Description: Percentage of patients 5-17 years of age with diabetes with an HbA1c test during the measurement period	NCQA Contact Information: www.ncqa.org		New	Clinical Process/ Effectiveness
NQF 0062	Title: Diabetes: Urine Protein Screening Description: The percentage of patients 18-75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period.	NCQA Contact Information: www.ncqa.org	EHR PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0064	Title: Diabetes: Low Density Lipoprotein (LDL) Management Description: Percentage of patients 18-75 years of age with diabetes whose LDL-C was adequately controlled (< 100 mg/dL) during the measurement period.	NCQA Contact Information: www.ncqa.org	PQRS, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0068	Title: Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic Description: Percentage of patients 18 years of age and older who were discharged alive for acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI) in the 12 months prior to the measurement period, or who had an active diagnosis of ischemic vascular disease (IVD) during the measurement period, and who had documentation of use of aspirin or another antithrombotic during the measurement period.	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0069 **	Title: Appropriate Treatment for Children with Upper Respiratory Infection (URI) Description: Percentage of children 3 months-18 years of age who were diagnosed with upper respiratory infection (URI) and were not dispensed an antibiotic prescription on or three days after the episode.	NCQA Contact Information: www.ncqa.org	PQRS, NCQA-PCMH Recognition	New	Efficient Use of Healthcare Resources

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0070	Title: Coronary Artery Disease (CAD): Beta-Blocker Therapy− Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF <40%) Description: Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12 month period who also have a prior MI or a current or prior LVEF <40% who were prescribed beta-blocker therapy	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS, NCQA-PCMH Recognition		Clinical Process/ Effectiveness
NQF 0075	Title: Ischemic Vascular Disease (IVD): Complete Lipid Panel and LDL Control Description: Percentage of patients 18 years of age and older who were discharged alive for acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI) in the 12 months prior to the measurement period, or who had an active diagnosis of ischemic vascular disease (IVD) during the measurement period, and who had a complete lipid profile performed during the measurement period and whose LDL-C was adequately controlled (<100 mg/dL).	NCQA Contact Information: www.ncqa.org	EHR PQRS, ACO, Group Reporting PQRS		Clinical Process/ Effectiveness
NQF 0081	Title: Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD) Description: Percentage of patients aged 18 years and older with a diagnosis of heart failure (HF) with a current or prior left ventricular ejection fraction (LVEF) < 40% who were prescribed ACE inhibitor or ARB therapy either within a 12 month period when seen in the outpatient setting OR at each hospital discharge	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS, Group Reporting PQRS, NCQA-PCMH Recognition		Clinical Process/ Effectiveness
NQF 0083	Title: Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD) Description: Percentage of patients aged 18 years and older with a diagnosis of heart failure (HF) with a current or prior left ventricular ejection fraction (LVEF) < 40% who were prescribed beta-blocker therapy either within a 12 month period when seen in the outpatient setting OR at each hospital discharge	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS, ACO, Group Reporting PQRS		Clinical Process/ Effectiveness

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0086	Title: Primary Open Angle Glaucoma (POAG): Optic Nerve Evaluation Description: Percentage of patients aged 18 years and older with a diagnosis of POAG who have an optic nerve head evaluation during one or more office visits within 12 months	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0088	Title: Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy Description: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed which included documentation of the level of severity of retinopathy and the presence or absence of macular edema during one or more office visits within 12 months	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0089	Title: Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care Description: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed with documented communication to the physician who manages the ongoing care of the patient with diabetes mellitus regarding the findings of the macular or fundus exam at least once within 12 months	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0101	Title: Falls: Screening for Future Fall Risk Description: Percentage of patients 65 years of age and older who were screened for future fall risk during the measurement period.	AMA-PCPI Contact Information: cpe@ama-assn.org; NCQA Contact Information: www.ncqa.org	PQRS, ACO, Group Reporting PQRS	New	Patient Safety
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment Description: Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of MDD who had a suicide risk assessment completed at each visit during the measurement period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Clinical Process/ Effectiveness

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0105	Title: Anti-depressant Medication Management Description: Percentage of patients 18 years of age and older who were diagnosed with major depression and treated with antidepressant medication, and who remained on antidepressant medication treatment. Two rates are reported. a. Percentage of patients who remained on an antidepressant medication for at least 84 days (12 weeks). b. Percentage of patients who remained on an antidepressant medication for at least 180 days (6 months).	NCQA Contact Information: www.ncqa.org	EHR PQRS, HEDIS, state use, ACA 2701		Clinical Process/ Effectiveness
NQF 0108 **	Title: ADHD: Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication Description: Percentage of children 6-12 years of age and newly dispensed a medication for attention-deficit/hyperactivity disorder (ADHD) who had appropriate follow-up care. Two rates are reported. a. Percentage of children who had one follow-up visit with a practitioner with prescribing authority during the 30-Day Initiation Phase. b. Percentage of children who remained on ADHD medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two additional follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended.	NCQA Contact Information: www.ncqa.org		New	Clinical Process/ Effectiveness
NQF 0110	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use Description: Percentage of patients with depression or bipolar disorder with evidence of an initial assessment that includes an appraisal for alcohol or chemical substance use.	Center for Quality Assessment and Improvement in Mental Health (CQAIMH) Contact Information: www.cqaimh.org; cqaimh@cqaimh.org	NCQA-PCMH Recognition	New	Clinical Process/ Effectiveness
NQF 0384	Title: Oncology: Medical and Radiation – Pain Intensity Quantified Description: Percentage of patient visits, regardless of patient age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy in which pain intensity is quantified	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Patient and Family Engagement

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0385	Title: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients Description: Percentage of patients aged 18 through 80 years with Stage III colon cancer who are referred for adjuvant chemotherapy, prescribed adjuvant chemotherapy, or have previously received adjuvant chemotherapy within the 12-month reporting period	AMA-PCPI Contact Information: cpe@ama-assn.org; American Society of Clinical Oncology (ASCO): www.asco.org; National Comprehensive Cancer Network (NCCN): www.nccn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0387	Title: Breast Cancer: Hormonal Therapy for Stage IC-IIIC Estrogen Receptor/Progesterone Receptor (ER/PR) Positive Breast Cancer Description: Percentage of female patients aged 18 years and older with Stage IC through IIIC, ER or PR positive breast cancer who were prescribed tamoxifen or aromatase inhibitor (AI) during the 12-month reporting period	AMA-PCPI Contact Information: cpe@ama-assn.org; ASCO: www.asco.org; NCCN: www.nccn.org	EHR PQRS		Clinical Process/ Effectiveness
NQF 0389	Title: Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients Description: Percentage of patients, regardless of age, with a diagnosis of prostate cancer at low risk of recurrence receiving interstitial prostate brachytherapy, OR external beam radiotherapy to the prostate, OR radical prostatectomy, OR cryotherapy who did not have a bone scan performed at any time since diagnosis of prostate cancer	AMA-PCPI Contact Information: cpe@ama-assn.org	EHR PQRS		Efficient Use of Healthcare Resources
NQF 0403	Title: HIV/AIDS: Medical Visit Description: Percentage of patients, regardless of age, with a diagnosis of HIV/AIDS with at least two medical visits during the measurement year with a minimum of 60 days between each visit	AMA-PCPI Contact Information: cpe@ama-assn.org; NCQA Contact Information: www.ncqa.org		New	Clinical Process/ Effectiveness

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0405	Title: HIV/AIDS: Pneumocystis jiroveci pneumonia (PCP) Prophylaxis Description: Percentage of patients aged 6 weeks and older with a diagnosis of HIV/AIDS who were prescribed Pneumocystis jiroveci pneumonia (PCP) prophylaxis	AMA-PCPI Contact Information: cpe@ama-assn.org; NCQA Contact Information: www.ncqa.org	PQRS, NCQA-PCMH Recognition	New	Clinical Process/ Effectiveness
TBD (proposed as NQF 0407)	Title: HIV/AIDS: RNA control for Patients with HIV Description: Percentage of patients aged 13 years and older with a diagnosis of HIV/AIDS, with at least two visits during the measurement year, with at least 60 days between each visit, whose most recent HIV RNA level is <200 copies/mL.	NCQA Contact Information: www.ncqa.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0418 * **	Title: Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan Description: Percentage of patients aged 12 years and older screened for clinical depression on the date of the encounter using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen.	Centers for Medicare and Medicaid Services (CMS) 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; Quality Insights of Pennsylvania (QIP) Contact Information: www.usqualitymeasures.org	EHR PQRS, ACO, Group Reporting PQRS	New	Population/ Public Health
NQF 0419 *	Title: Documentation of Current Medications in the Medical Record Description: Percentage of specified visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications to the best of his/her knowledge and ability. This list ***must*** include ALL prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND ***must*** contain the medications' name, dosage, frequency and route of administration.	Centers for Medicare and Medicaid Services (CMS) 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; QIP Contact Information: www.usqualitymeasures.org	PQRS, EHR PQRS	New	Patient Safety

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0421 *	Title: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Description: Percentage of patients aged 18 years and older with a calculated BMI in the past six months or during the current reporting period documented in the medical record AND if the most recent BMI is outside of normal parameters, a follow-up plan is documented within the past six months or during the current reporting period. Normal Parameters: Age 65 years and older BMI ≥ 23 and < 30 Age 18-64 years BMI ≥ 18.5 and < 25	Centers for Medicare and Medicaid Services (CMS) 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; QIP Contact Information: www.usqualitymeasures.org	EHR PQRS, ACO, Group Reporting PQRS, UDS		Population/ Public Health
NQF 0564	Title: Cataracts: Complications within 30 Days Following Cataract Surgery Requiring Additional Surgical Procedures Description: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and had any of a specified list of surgical procedures in the 30 days following cataract surgery which would indicate the occurrence of any of the following major complications: retained nuclear fragments, endophthalmitis, dislocated or wrong power IOL, retinal detachment, or wound dehiscence.	AMA-PCPI Contact Information: cpe@ama-assn.org; NCQA Contact Information: www.ncqa.org	PQRS	New	Patient Safety
NQF 0565	Title: Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery Description: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and no significant ocular conditions impacting the visual outcome of surgery and had best-corrected visual acuity of 20/40 or better (distance or near) achieved within 90 days following the cataract surgery.	AMA-PCPI Contact Information: cpe@ama-assn.org; NCQA Contact Information: www.ncqa.org	PQRS	New	Clinical Process/ Effectiveness
NQF 0608	Title: Pregnant women that had HBsAg testing Description: This measure identifies pregnant women who had a HBsAg (hepatitis B) test during their pregnancy.	Ingenix Contact Information: www.ingenix.com		New	Clinical Process/ Effectiveness

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
NQF 0710	Title: Depression Remission at Twelve Months Description: Adult patients age 18 and older with major depression or dysthymia and an initial PHQ-9 score > 9 who demonstrate remission at twelve months defined as PHQ-9 score less than 5. This measure applies to both patients with newly diagnosed and existing depression whose current PHQ-9 score indicates a need for treatment.	Minnesota Community Measurement (MNCM) Contact Information: www.mncm.org; info@mncm.org		New	Clinical Process/ Effectiveness
NQF 0712	Title: Depression Utilization of the PHQ-9 Tool Description: Adult patients age 18 and older with the diagnosis of major depression or dysthymia who have a PHQ-9 tool administered at least once during a 4 month period in which there was a qualifying visit.	MNCM Contact Information: www.mncm.org; info@mncm.org		New	Clinical Process/ Effectiveness
TBD **	Title: Children who have dental decay or cavities Description: Percentage of children ages 0-20, who have had tooth decay or cavities during the measurement period.	Maternal and Child Health Bureau, Health Resources and Services Administration http://mchb.hrsa.gov/		New	Clinical Process/ Effectiveness
NQF 1365	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment Description: Percentage of patient visits for those patients aged 6 through 17 years with a diagnosis of major depressive disorder with an assessment for suicide risk.	AMA-PCPI Contact Information: cpe@ama-assn.org		New	Patient Safety
NQF 1401	Title: Maternal depression screening Description: The percentage of children who turned 6 months of age during the measurement year, who had a face-to-face visit between the clinician and the child during child's first 6 months, and who had a maternal depression screening for the mother at least once between 0 and 6 months of life.	NCQA Contact Information: www.ncqa.org		New	Population/ Public Health
TBD	Title: Primary Caries Prevention Intervention as Offered by Primary Care Providers, including Dentists Description: Percentage of children, age 0-20 years, who received a fluoride varnish application during the measurement period.	University of Minnesota Contact Information: www.umn.edu		New	Clinical Process/ Effectiveness

CQM Number	CQM Title & Description	CQM Title & Description	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
TBD	Title: Preventive Care and Screening: Cholesterol – Fasting Low Density Lipoprotein (LDL-C) Test Performed Description: Percentage of patients aged 20 through 79 years whose risk factors have been assessed and a fasting LDL-C test has been performed.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; QIP Contact Information: www.usqualitymeasures.org	EHR PQRS	New	Clinical Process/ Effectiveness
TBD	Title: Preventive Care and Screening: Risk- Stratified Cholesterol – Fasting Low Density Lipoprotein (LDL-C) Description: Percentage of patients aged 20 through 79 years who had a fasting LDL-C test performed and whose risk-stratified fasting LDL-C is at or below the recommended LDL-C goal.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; QIP Contact Information: www.usqualitymeasures.org	EHR PQRS	New	Clinical Process/ Effectiveness
TBD	Title: Dementia: Cognitive Assessment Description: Percentage of patients, regardless of age, with a diagnosis of dementia for whom an assessment of cognition is performed and the results reviewed at least once within a 12 month period.	AMA-PCPI Contact Information: cpe@ama-assn.org	PQRS	New	Clinical Process/ Effectiveness
TBD	Title: Hypertension: Improvement in blood pressure Description: Percentage of patients aged 18-85 years of age with a diagnosis of hypertension whose blood pressure improved during the measurement period.	AMA-PCPI Contact Information: cpe@ama-assn.org		New	Clinical Process/ Effectiveness
TBD	Title: Closing the referral loop: receipt of specialist report Description: Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Care Coordination

CQM Number	CQM Title & Description	Measure Steward & Contact Information	Other Quality Measure Programs that use the Same CQM***	New CQM	Domain
TBD	Title: Functional status assessment for knee replacement Description: Percentage of patients aged 18 years and older with primary total knee arthroplasty (TKA) who completed baseline and follow-up (patient-reported) functional status assessments.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient and Family Engagement
TBD	Title: Functional status assessment for hip replacement Description: Percentage of patients aged 18 years and older with primary total hip arthroplasty (THA) who completed baseline and follow-up (patient-reported) functional status assessments.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient and Family Engagement
TBD *	Title: Functional status assessment for complex chronic conditions Description: Percentage of patients aged 65 years and older with heart failure who completed initial and follow-up patient-reported functional status assessments	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient and Family Engagement
TBD	Title: ADE Prevention and Monitoring: Warfarin Time in Therapeutic Range. Description: Average percentage of time in which individuals with atrial fibrillation who are on chronic anticoagulation have International Normalized Ratio (INR) test results within the therapeutic range during the measurement period.	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139		New	Patient Safety
TBD	Title: Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented Description: Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated	CMS 1-888-734-6433 or http://questions.cms.hhs.gov/app/ask/p/21,26,1139; QIP Contact Information: www.usqualitymeasures.org	PQRS, EHR PQRS, Group Reporting PQRS, ACO	New	Population/ Public Health

* Recommended Adult Core CQMs for EPs
** Recommended Pediatric Core CQMs for EPs
***PQRS = Physician Quality Reporting System
EHR PQRS = Physician Quality Reporting System's Electronic Health Record Reporting Option
CHIPRA = Children's Health Insurance Program Reauthorization Act
HEDIS = Healthcare Effectiveness Data and Information Set
ACA 2701 = Affordable Care Act section 2701
NCQA-PCMH = National Committee for Quality Assurance – Patient Centered Medical Home
Group Reporting PQRS = Physician Quality Reporting System's Group Reporting Option
UDS = Uniform Data System (Health Resources Services Administration)