

APPENDIX 7

Supplementary Data Tables
Community Health Indicators

Table 7.1: U.S. Population Trends and Projections[1] by Age, 1980-2050

Year	Population 0-19 Years (thousands)	Population 20-64 Years (thousands)	Population 65-84 Years (thousands)	Population 85+ Years (thousands)
1980	72,416	128,634	23,306	2,193
1990	71,322	146,146	28,162	3,080
2000	80,549	166,515	30,794	4,267
2010	83,236	185,456	34,120	6,123
2020	88,887	192,285	47,363	7,269
2030	95,104	197,027	61,850	9,603
2040	101,625	210,270	64,640	15,409
2050	109,147	224,001	65,844	20,861

Source: US Department of Commerce, Bureau of the Census. (2004). *U.S. Interim Projections by Age, Sex, Race, and Hispanic Origin, 2004*.

[1] Years 2010 through 2050 are projections.

Data for Chart 7.1

Table 7.2: U.S. Population Trends and Projections[1] by Race[2], 2000-2050

Year	White, Non-Hispanic (thousands)	Black (thousands)	White, Hispanic (thousands)	Asian (thousands)	All Other[3] (thousands)
2000	195,729	35,818	32,819	10,684	7,075
2010	201,112	40,454	43,883	14,241	9,246
2020	205,936	45,365	54,693	17,988	11,822
2030	209,176	50,442	66,555	22,580	14,831
2040	210,331	55,876	79,359	27,992	18,388
2050	210,283	61,361	92,343	33,430	22,437

Source: US Department of Commerce, Bureau of the Census. (2004). *U.S. Interim Projections by Age, Sex, Race, and Hispanic Origin, 2004*.

(1) Years 2010 through 2050 are projections.

(2) Black, Asian, and All Other categories include individuals of Hispanic and non-Hispanic origin.

(3 All Other includes American Indian, Native Alaskan, Native Hawaiian, other Pacific Islander, and two or more races.

Data for Chart 7.2

Table 7.3: Age-adjusted Death Rates, Selected Causes, by Race[1], 2004

Cause of Death	All Persons (per 100,000)	White (per 100,000)	Black (per 100,000)
Diseases of the Heart	217.0	213.3	280.6
Cerebrovascular Disease	50.0	48.0	69.9
Malignant Neoplasms	185.8	184.4	227.2
Chronic Lower Respiratory Diseases	41.1	43.2	28.2
Influenza and Pneumonia	19.8	19.6	22.3
Diabetes Mellitus	24.5	22.3	48.0
HIV Infection	4.5	2.3	20.4

Source: National Center for Health Statistics. (2007). *Health, United States, 2007 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

(1) Includes individuals of Hispanic and non-Hispanic origin.

Data for Chart 7.3

Table 7.4: Number of Persons with Asthma, 1980-2005

Year	Total (thousands)
1980	6,975
1985	8,611
1990	10,310
1995	14,838
2000	26,895
2005	32,621

Sources: Centers for Disease Control and Prevention (2002). “Asthma Surveillance – United States, 1980-1999.” National Center for Health Statistics. National Health Interview Survey 2001, 2005.

Data for Chart 7.6

Table 7.5: Percent of Adults Who Are Overweight[1] and Obese, 1960-2004

Years	Overweight[1]	Obesity
1960-1962	44.8%	13.3%
1976-1980	47.4%	15.1%
1988-1994	56.0%	23.3%
2001-2004	66.0%	32.1%

Source: National Center for Health Statistics. (2007). *Health, United States, 2007 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

(1) Overweight includes obese.

Data for Chart 7.8

Table 7.6: Percent Uninsured by Race[1][2], 1984-2005

Year	All	White	Black	Asian	Hispanic
1984	14.5%	12.0%	19.6%	18.5%	29.5%
1989	15.6%	12.2%	21.4%	16.9%	33.7%
1995	16.1%	13.0%	17.9%	18.6%	31.4%
2000	17.0%	12.5%	19.5%	17.6%	35.6%
2005	16.4%	12.0%	18.3%	17.1%	33.0%

Source: National Center for Health Statistics. (2007). *Health, United States, 2007 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

(1) White and Black categories include individuals of non-Hispanic origin only. Asian category includes individuals of Hispanic and non-Hispanic origin.

(2) Data for population under age 65.

Data for Chart 7.13

Table 7.7: Percent of Persons with No Usual Source of Care by Race[1], 1993-2005

Year	White	Black	Asian	Hispanic
Adults				
1993-1994	17.1	19.7	24.8	30.3
1995-1996	15.0	18.1	21.5	27.4
1997-1998	15.4	19.3	21.7	30.4
1999-2000	14.9	19.2	22.1	32.6
2001-2002	13.1	16.8	20.1	32.5
2003-2004	14.6	17.9	19.2	30.9
2004-2005	14.6	19.0	18.8	34.0
Children Under 18 Years				
1993-1994	5.7	10.2	9.7	14.3
1995-1996	4.6	7.5	8.4	13.2
1997-1998	4.5	8.8	10.7	13.2
1999-2000	4.7	7.6	10.0	14.2
2001-2002	3.4	6.6	11.2	13.5
2003-2004	3.2	6.2	7.7	11.4
2004-2005	3.2	6.1	7.7	11.1

Source: National Center for Health Statistics. (2007). *Health, United States, 2007 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

[1] White and Black categories include individuals of non-Hispanic origin only. Asian category includes individuals of Hispanic and non-Hispanic origin.

Data for Charts 7.14, 7,16

Table 7.8: Percent of Children with No Healthcare Visits by Race[1], Insurance Status, 1997 and 2005

	1997	2005
Race		
White	10.7%	9.1%
Black	14.5%	11.8%
Asian	16.3%	17.9%
Hispanic	19.3%	17.8%
Insurance Status		
Any Insurance	10.4%	9.6%
Private Insurance	10.4%	9.5%
Medicaid	10.1%	9.7%
Uninsured	28.8%	30.9%

Source: National Center for Health Statistics. (2007). *Health, United States, 2007 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

(1) White and Black include individuals of non-Hispanic origin only. Asian includes individuals of Hispanic and non-Hispanic origin.

Data for Chart 7.19