



# APPENDIX 7

Supplementary Data Tables  
Community Health Indicators

Table 7.1: U.S. Population Trends and Projections<sup>(1)</sup> by Age, 1980 – 2050

Year	Population 0-19 Years (thousands)	Population 20-64 Years (thousands)	Population 65-84 Years (thousands)	Population 85+ Years (thousands)
1980	72,416	128,634	23,306	2,193
1990	71,322	146,146	28,162	3,080
2000	80,549	166,515	30,794	4,267
2010	84,151	185,854	34,478	5,751
2020	90,703	195,881	48,208	6,597
2030	97,683	203,730	63,348	8,746
2040	104,616	219,800	67,041	14,198
2050	112,940	237,521	69,506	19,042

Source: U.S. Department of Commerce, Bureau of the Census. (2004). *U.S. Interim Projections by Age, Sex, Race, and Hispanic Origin*. U.S. Department of Commerce, Bureau of the Census. (2008). *Projections of the Population by Age and Sex for the United States*.

<sup>(1)</sup> Years 2010 through 2050 are projections. Projections are based on 2008 source.

Data for Chart 7.1

Table 7.2: U.S. Population Trends and Projections<sup>(1)</sup> by Race<sup>(2)</sup>, 2000 – 2050

Year	White, Non-Hispanic (thousands)	Black (thousands)	White, Hispanic (thousands)	Asian (thousands)	All Other <sup>(3)</sup> (thousands)
2000	195,729	35,818	35,622	10,684	7,075
2010	200,853	39,909	45,778	14,415	9,279
2020	205,255	44,389	61,020	18,756	11,967
2030	207,217	48,728	78,892	23,586	15,081
2040	206,065	52,868	99,183	28,836	18,704
2050	203,347	56,944	121,453	34,399	22,867

Source: U.S. Department of Commerce, Bureau of the Census. (2004). *U.S. Interim Projections by Age, Sex, Race, and Hispanic Origin*. U.S. Department of Commerce, Bureau of the Census. (2008). *Projections of the Population by Age and Sex for the United States*.

<sup>(1)</sup> Years 2010 through 2050 are projections. Projections are based on 2008 source

<sup>(2)</sup> Black, Asian, and All Other categories include individuals of Hispanic and non-Hispanic origin.

<sup>(3)</sup> All Other includes American Indian, Native Alaskan, Native Hawaiian, other Pacific Islander, and two or more races.

Data for Chart 7.2

Table 7.3: Age-adjusted Death Rates, Selected Causes, by Race<sup>(1)</sup>, 2005

Cause of Death	All Persons (per 100,000)	White (per 100,000)	Black (per 100,000)
Diseases of the Heart	211.1	207.8	271.3
Malignant Neoplasms	183.8	182.6	222.7
Cerebrovascular Disease	46.6	44.7	65.2
Chronic Lower Respiratory Diseases	43.2	45.4	30.6
Diabetes Mellitus	24.6	22.5	46.9
Influenza and Pneumonia	20.3	20.2	21.7
HIV Infection	4.2	2.2	19.4

Source: National Center for Health Statistics. (2008). Health, United States, 2008 with Chartbook on Trends in the Health of Americans. Hyattsville, MD.

<sup>(1)</sup> Includes individuals of Hispanic and non-Hispanic origin.

Data for Chart 7.3

Table 7.4: Number of Persons with Asthma, 1980-2006

Year	Total (millions)
1980	6.98
1985	8.61
1990	10.31
1995	14.84
2000	26.90
2005	32.62
2006	34.13

Source: Centers for Disease Control and Prevention (2002). "Asthma Surveillance – United States, 1980-1999." National Center for Health Statistics. National Health Interview Survey 2001, 2005, 2006.

Data for Chart 7.6

Table 7.5: Percent of Adults Who Are Overweight<sup>(1)</sup> and Obese, 1960 – 2006

Years	Overweight <sup>(1)</sup>	Obesity
1960-1962	44.8%	13.3%
1976-1980	47.4%	15.1%
1988-1994	56.0%	23.3%
2001-2004	65.2%	31.1%
2003-2006	66.9%	34.1%

Source: National Center for Health Statistics. (2008). *Health, United States, 2008 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

<sup>(1)</sup> Overweight includes obese.

Data for Chart 7.8

Table 7.6: Percent Uninsured by Race<sup>(1)(2)</sup>, 1984-2006

Year	All	White	Black	Asian	Hispanic
1984	14.5%	11.9%	19.7%	18.5%	29.5%
1989	15.6%	12.1%	21.5%	16.9%	33.7%
1995	16.1%	13.0%	17.9%	18.6%	31.4%
2000	17.0%	12.5%	19.5%	17.6%	35.6%
2005	16.4%	12.0%	18.4%	17.1%	33.0%
2006	17.0%	12.5%	17.5%	15.0%	35.0%

Source: National Center for Health Statistics. (2008). *Health, United States, 2008 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

<sup>(1)</sup> White and Black categories include individuals of non-Hispanic origin only. Asian category includes individuals of Hispanic and non-Hispanic origin.

<sup>(2)</sup> Data for population under age 65.

Data for Chart 7.13

Table 7.7: Percent of Persons with No Usual Source of Care by Race<sup>(1)</sup>, 1993 – 2006

Year	White	Black	Asian	Hispanic
<b>Adults</b>				
1993-1994	17.1	19.7	24.8	30.3
1995-1996	15.0	18.1	21.5	27.4
1997-1998	15.4	19.3	21.7	30.4
1999-2000	14.9	19.2	22.1	32.6
2001-2002	13.1	16.8	20.1	32.5
2003-2004	14.0	18.1	19.3	32.9
2005-2006	14.8	19.2	17.9	35.1
<b>Children Under 18 Years</b>				
1993-1994	5.7	10.2	9.7	14.3
1995-1996	4.6	7.5	8.4	13.2
1997-1998	4.5	8.8	10.7	13.2
1999-2000	4.7	7.6	10.0	14.2
2001-2002	3.4	6.6	11.2	13.5
2003-2004	3.2	6.2	7.7	11.4
2005-2006	3.3	5.4	7.7	11.5

Source: National Center for Health Statistics. (2008). *Health, United States, 2008 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

<sup>(1)</sup> White and Black categories include individuals of non-Hispanic origin only. Asian category includes individuals of Hispanic and non-Hispanic origin.

Data for Charts 7.14, 7.16

Table 7.8: Percent of Children with No Healthcare Visits by Race<sup>(1)</sup>, Insurance Status, 1997 and 2006

	1998	2006
<b>Race</b>		
White	10.7%	9.4%
Black	14.5%	11.7%
Asian	16.3%	17.5%
Hispanic	19.3%	17.4%
<b>Insurance Status</b>		
Any Insurance	10.4%	9.5%
Private Insurance	10.4%	9.4%
Medicaid	10.1%	9.5%
Uninsured	28.8%	31.7%

Source: National Center for Health Statistics. (2007). *Health, United States, 2007 with Chartbook on Trends in the Health of Americans*. Hyattsville, MD.

<sup>(1)</sup> White and Black include individuals of non-Hispanic origin only. Asian includes individuals of Hispanic and non-Hispanic origin.

Data for Chart 7.19